# STATEMENT OF WORK (SOW) For the IROAN of the SHELTER, NONEXPANDABLE, 10 Foot EMI/EMC NSN: 5411-01-304-6122 P/N: 82A5049A0000 CAGE: 01365

SOW-02-844-1-09272A-2/2

- 1. This SOW identifies the work effort that shall be performed by the Contractor to rebuild the SHELTER, NONEXPANDABLE, 10 Foot EMI/EMC; NSN 5411-01-304-6122; P/N 82A5049A0000; CAGE: 01365.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

### HARVEY C. DEARING

Weapon System/Equipment Manager Data Systems Section (Code 844-1) MCLB, Albany GA

GYSGT R. WRIGHT

Equipment Specialist Data Systems Section (Code 844-1) MCLB, Albany GA PATRICIA HUGYA

Inventory Manager Data Systems Section (Code 844-1) MCLB, Albany GA

# TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	<u>Page</u>
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Specifications	1
2.2	Military Standards	1
2.3	Other Government Documents and Publications	1
2.4	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2 2 2 2 3 3
3.2.1	Phase I (Pre-Induction)	3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	4
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))	4
3.3	Government Furnished Equipment (GFE)/Materiel (GFM) Accountability	
		4
3.4	Contractor Furnished Materiel (CFM)	5
3.5	Electrostatic Discharge (ESD) Control Program	5
3.6	Quality Assurance Provisions	5
3.7	Acceptance	5
3.8	Re ection	5
3.9	Configuration Control	5
4.0	Reports	6
4.1	Pre-Induction Checklist	6
4.2	Test/Inspection Report	6
4.3	Repairable Item Inspection Report	6
4.4	Monthly Progress Report	6
<u>Appendix</u>		
A	Standard Form 364 (Rev. 2-80)	A-1

# STATEMENT OF WORK For the IROAN of SHELTER, NONEXPANDABLE, 10 Foot EMI/EMC NSN 5411-01-304-6122 P/N: 82A5049A0000 CAGE: 01365

#### 1.0 Scope

This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to IROAN the 10 Foot EMI/EMC Shelter, NSN: 5411-01-304-6122; hereafter referred to as the EMI/EMC SHELTER. This document contains requirements to restore the EMI/EMC SHELTER, Drawing Number 82A5049A000, CAGE 01365, to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."

1.1 <u>Background:</u> IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

#### 2.0 Applicable Documents

The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

#### 2.1 Military Specifications

MIL-C-81309 Corrosion Preventive Compounds, Water Displacing,

Ultra Thin Film

#### 2.2 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

**2.3** Other Government Documents and Publications: The issues of those documents cited below shall be used.

SL-3-09272 A Components List for Shelter, Nonexpandable, 20ft,

EMI/EMC

TM 5410-14/1 Intermediate Maintenance Instructions Electronics

Maintenance Complex

TM 5411-14/1 Marine Corps Expeditionary Shelter System (MCESS)

(Small Shelter Family) Operation and Maintenance

Instructions

TM 5411-14&P/2 Marine Corps Expeditionary Shelter System, General

Purpose Shelter, Operations and Maintenance

Instructions with Repair Parts

82A5049A0 )00 Technical Data Package

DoD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel from

the Federal Supply System

#### Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management Guidance

# 2.4 Industry Standards

JESD625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9002-1994 Quality Systems-Model for Quality Assurance in

Production, Installation, and Servicing

#### Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 9111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radforc Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.

#### 3.0 Requirements

- **3.1** General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the EMI/EMC SHELTER. Upon completion of repairing the subject item it shall be Condition Code "A".
- **3.2** <u>Detail Tasks:</u> The following tasks describe the different phases for repair of the EMI/EMC SHELTER:

Phase IPrc-Induction

Phase IRepair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

- **3.2.1** Phase I Pre-Induction: A pre-induction inspection analysis shall be performed for each EMI/EMC SHELTER within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base (844-1), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- **3.2.2** Phase II Repair: After pre-induction tests and inspections have been completed, repair of the EMI/EMC SHELTER shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

#### a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. Publications and Documentation: In addition to the documents invoked in Section 3 of this SOW, the Contractor may use the following documents:

SL-3-09.272A Components List for Shelter, Nonexpandable, 20ft,

	EMI/EMC
TM 5410-14/1 Mainten ince Complex	Intermediate Maintenance Instructions Electronics
TM 5411-14/1	Marine Corps Expeditionary Shelter System (MCESS) (Small Shelter Family) Operation and Maintenance
Instructions	(2 2
MIL-C-81309	Corrosion Preventive Compounds, Water Displacing, Ultra Thin Film.
TM 5411-14&P/2	Marine Corps Expeditionary Shelter System (MCESS), General Purpose Shelter, Operations and Maintenance Instructions with Repair Parts.

c. Any Modification Instructions (MIs) or Engineering Change Proposals (ECPs) not previously applied shall be incorporated.

Technical Data Package

# 3.2.3 Phase III - Inspection, Testing and Acceptance

82A5049A0000

- a. Inspection, Testing and Acceptance of the EMI/EMC SHELTER shall be conducted in accordance with the documents and TM's listed in section 3.2.2.b.
- b. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing MCLB (Code 844-1), Albany, GA representatives may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

## 3.2.4 Phase IV - Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging for items being repaired under the terms of this statement of work. Items being prepared for long-term storage and shipment to overseas destinations shall be preserved and packaged in accordance with the level A requirements of MIL-STD-2073-1D, Appendix A, Table A.VI., Electronic Equipment. Items being prepared for domestic shipment, immediate use and short-term storage shall be to level B requirements.
  - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.

- 3.3 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM) Accountability: GFE is government owned equipment authorized by contract for use by a commercial/government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of product on or incorporated into product being manufactured/remanufactured under a contract/statemen of work. In the event the Contractor does have GFE/GFM requirements, the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- 3.4 <u>Contractor Furnished Materiel (CFM):</u> The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DOD Supply System. DOD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program:</u> The contractor shall establish, implement and document an ESD control program following the guidelines provided in *JESD625-A*. ESD protective measures shall be used during manufacturing, handling, inspection, test, n arking, packaging, storing and transporting ESD sensitive components.
- 3.6 Quality Assurance Provisions: The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality Systems-Model for Quality Assurance in Production, Installation, and Servicing. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.
- **3.7** Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps representatives shall be permitted to observe the work or to conduct an inspection.
- **Rejection:** Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.

5

- 3.9 <u>Configuration Control:</u> The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request For Deviation. MIL-IIDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing this configuration control document.
- **4.0** Reports: All report deliverables shall be submitted in hard copy to Commander (Code 844-1), Marine Corps Logistics Bases, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, unless directed otherwise in a Contract Data Requirements List.
- **4.1 Pre-Induction Checklist:** The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each EMI/EMC SHELTER repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, after final acceptance of the EMI/EMC SHELTER.
- **4.2** <u>Test/Inspection Report:</u> The Contractor shall provide a Test/Inspection Report for each EMI/EMC SHELTER.
- **4.3** Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each EMI/EMC SHELTER. The report shall be identified by United States Marine Coops Serial Number.
- **4.4** Monthly Progress Reports: The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the EMI/EMC SHELTER Program.

#### CONTRACT DATA REQUIREMENTS LIST Form Approved (1 Data Item) OMB No. 1704-0188 The Public reporting burden for this collection of infor action is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintainting the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services. Directorate for Information Operations and Reports 1215 Jefferson Davis Highway. Suite 1204. Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503 Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E. A. CONTRACT LINE ITEM NO. B EXHIBIT C. CATEGORY: TM Other XXX D. SYSTEM/ITEM E. CONTRACT/PR No. F. CONTRACTOR Shelter, Nonexpandable, 10 Foot EMI/EMC t. DATA ITEM No 3 SUBTITLE Contractor's Progress, Status, and Management Report Monthly Progress Report A001 5. CONTRACT REFERENCE 4. AUTHORITY (Data Acquisition Document No.) 6. REQUIRING OFFICE DI-MGMT-80227 SOW 4.4 MARCORLOGBASES (844) DISTRIBUTION 12 DATE OF FIRST SUBMISSI DIST STATEMENT REQUIRED 7 DD 250 REO MTHLY b COPIES LT See Blk 16 DATE OF SUBSEQUENT 8 APP CODE 11 AS OF DATE a ADDRESSEE SUBMISSION Draft See Blk 16 16 REMARKS MCLBA (844-1) () Block 4 - Contractor format is authorized. Block 4 – Tailor DI-MGMT-802. 7 as follows: Delete paragraphs 10.3g, 10.3h, 10.3i, 10.3j, 10.3k, and 10.3n. Block 12 - The reporting period shall be from the first to last business day of each month. Initial submission slall be 60 days after contract. Block 13 – Subsequent submissions shall be 10 days after the last business day of each month. Distribution Statement A: Approved for public release, distribution is unlimited.

DE FORM 1423-1 ALG 96 (FG)

H. DATE I. APPROVED BY

PREVIOUS EDITION MAY BE USED

J. DATE

Page 1 of 1 Pages

17 PRICE GROUP

18 ESTIMATED TOTAL PRICE

#### CONTRACT DATA REQUIREMENTS LIST Form Approved (1 Data Item) OMB No. 1704-0188 nation is authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Petense. Washington Headquarters Services. Directorate for Information Operations and Reports 1215 Jefferson Davis Highway. Suite 1204. Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No. listed in block E. A. CONTRACT LINE ITEM NO B EXHIBIT C. CATEGORY: Other XXX D. SYSTEM/ITEM E. CONTRACT/PR No. F. CONTRACTOR Shelter, Nonexpandable, 10 Foot EMI/EMC L DÁTA ITEM No 2 TITLE OF DATA ITEM 3. SUBTITLE Repairable Item Inspection Report B001 4. AUTHORITY (Data Acquisition Document No.) CONTRACT REFERENCE REQUIRING OFFICE DI-ILSS-80386 SOW 4.3 MARCORLOGBASES (844) . DD 250 REC 12. DATE OF FIRST SUBMISSIO: DISTRIBUTION REQUIRED AS REQ LT See Blk 16 13. DATE OF SUBSEQUENT 8 APP CODE 11 AS OF DATE a ADDRESSEE FINAL Α SUBMISSION Drafe See Blk 16 16 REMARKS MCLBA (844-1) 0 0 Block 4 - Contractor format is authorized. Block 10 - A separate report shall be submitted for each Shelter, Nonexpandable, 10 Foot EMI/EN C repaired. Blocks 12 & 13 – Submit report by Marine Corps Serial Number 30 days after completion of each Shelter, None spandable, 10 Foot EMI/EMC. Block 14 – Reports shall be provi led hard copy. Distribution Statement A: Approved for public release, distribution is unlimited.

G. PREPARED BY:

H. DATE I. APPROVED BY:

10/2/00

EDITION MAY BE USED! C Plaring

15. TOTAI

10/4/00

17 PRICE GROUP

18. ESTIMATED TOTAL PRICE

Page 1 of 1 Pages Designed using Perform Pro, WHS/D/or, Aug 96

J. DATI

# CONTRACT DATA REQUIREMENTS LIST (1 Data Hem)

Form Approved OMB No. 1704-0188

Page 1 of 1 Pages
Designed using Perform Pro. WHS/D/or, Aug 96

aintaining the data n iggestions for reduct rlington, VA 22202-	eeded, and completing and ng this burden, to Departme 4302 and to the Office of N	revievent of Janage	ng the col refense, W nent and I	llection of information. Se /ashington Headquarters Se Budget, Paperwork Reduct	end comments regarding to ervices, Directorate for In- ion Project (0704-0188),	this burden esti aformation Ope . Washington,	mate or any other aspect of this trations and Reports 1215 Jeffer DC 20503 Please DO NOT RE	collection of in- son Davis High	formation, in way, Suite 1:	cluding 204		
	oleted form to the Governme FLINE ITEM NO.		ing Contra EXHIB		PR No listed in block E. C. CATEGORY							
		$\perp$			TDP		TM	Other XX	XX			
D. SYSTEM/IT Shelter, N	EM lonexpandable, I - EMI/EMC	0 F	ot	E. CONTRACTÓP.	R No.	F. CONT	RACTOR .					
DATA ITEM No B002	2 TITLE OF DATA ITEM		t/Insp	t/Inspection Reports			NonDestructive Testing and Inspection					
AUTHORITY (Da	ra Acquisition Document N	j		5 CONTRACT REFERE	ENCE		6 REQUIRING OFFICE					
DI	-NDTI-80809B				SOW 4.2		MARCOR	LOGBASE	ES (844)			
DD 250 REQ.	9 DIST STATEMENT	10	FREQUE		12. DATE OF FIRST SUBMISSIO			STRIBUTION				
DD APP CODE	REQUIRED	3 1	AS OF Da	ASREQ	See Blk 16  13 DATE OF SUBSEQUENT SUBMISSION See Blk 16		1	<u> </u>	b COPIES			
	А			ATE			a ADDRESSEE	Draft	Reg Repro			
t REMARKS							MCLBA (844-1)	0	l	0		
Acceptance Tontractor will block 13 To days of reconstructor recons	ubmit test report Festing. MCLBA thin 30 days afte he contractor sha ceipt. This review reives approval f Statement A: App	A wi er. all ii w/aț fron	l prov corpor proval the G	ride acceptance/t rate any Govern I cycle shall be r overnment.	nonacceptance ment comment repeated until th	to the s within ne						
							15. TOTAL	0		0		
J. PREPORED  DI FORM 14:	BY: 23-1, AUG 96 (EC)	ax	-	H. DATE  /0/2/00  PREVIOUS	I. APPROVED I	ey C ED/	Olaring	J. DATI	4/ 0 gr 1 of			

CONTRACT DATA REQUIREMENTS LIST (1 Data Item)						Form Approved OMB No. 1704-0188					
naintaining the data n uggestions for reducit Arlington, VA 22202-	ourden for this collection of eeded, and completing and r ng this burden, to Departmer 4302 and to the Office of M deted form to the Governmer	evieving the c nt of Defense, " anagement and	ollection of information S Washington Headquarters S I Budget, Paperwork Reduc	end comments regarding thi Services, Directorate for Info ition Project (0704-0188), V	s burden estin ormation Oper	nate or any other as: rations and Reports	ons , searchir pect of this c 1215 Jefferso	ig existing data ollection of inf on Davis Highy	sources, ga ormation, in vay, Suite 13	cluding 104	
	LINE ITEM NO.	B EXHI		C. CATEGORY:							
D. SYSTEM/ITEM E. CONTRACT/PR No. F. CONTR						_ TM	<u></u>	Other XX	(X		
Shelter, N	onexpandable, 10 EMI/EMC 2 TITLE OF DATA ITEM		15. CO.VIIOACIA						_		
C001	En	gineering	g Change Propos	sal	3. SCBTITLE		ration N	Managem	ent		
4 AUTHORITY (Dain Acquisition Document No.)  5 CONTRACT REFERENCE						6 REQUIRING OFFICE					
	CMAN-80639C		SOW 3.9			1		LOGBAS	ES 851		
7. DD 250 REQ. LT	9. DIST STATEMENT REQUIRED	100 FREQU	ENCY ASREQ	See Blk		14	DIS	TRIBUTION	b COPIES		
S. APP CODE	Α	II AS OF I		13. DATE OF SUBSEQ		a. ADDRE	SSEE	FINAL.			
	^			SUBMISSION		J. ADDKI.	.5.51.71:	Draft	Reg	Repro	
l6. REMARKS		┷		I		MCLBA 85	1-2	0	1	()	
	_						<u> </u>			<del>                                     </del>	
3lock 4 - Cor	ntractor format is	au horiz	ed.			<del></del>		<u> </u>			
21 1 10 0	13 FCD 1 111	1	. 10 11	1 1 1 1 .	,	<u> </u>					
	12 ECPs shall b				cn						
	affect the baseling	eo acoi	inguration item.	WIIL-81D-9/3,							
Appendix D a	гррпеѕ.							<u> </u>			
CPs will be	reviewed and dis	nosition	determined with	in 30 calendar da	ove linon						
	government.	po. mon	determined with	iii 50 calcildar da	iya upon						
eccipi o me	go verminent.							-			
ECPs shall be	transmitted via	e-mail to	the following ac	dress:				<del> </del>			
	nfigmngmnt@m					<u> </u>					
								+			
Distribution S	Statement A: App	roved fo	r public release,	distribution is un	ılimited.	<del></del>					
								<b></b>			
						· · · · ·					
						· · · · · · · · · · · · · · · · · · ·		<u> </u>			
								1			
						<del></del>		-			
								1			
						<del>                                     </del>					
								<u> </u>			
	,	<i>/</i> '/				15 700011			-1		
G. PREPARED	BY:	+#	H. DATE	I. APPROVED B	Y	15. TOTAL		J. DATI	1	()	
wor restold	1 /1/		1075/1		• •	$\lambda_{\alpha}$	~	100/11	11/0-	_	

17 PRICE GROUP

18. ESTIMATED TOTAL PRICE

## CONTRACT DATA REQUIREMENTS LIST Form Approved (1 Data Item) OMB No. 1704-0188 The Public reporting burden for this collection of into authorized to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302 and to the Office of Management and Budget, Paperwork Reduction, Project (0704-0188), Washington, DC 20503. Please DO NOT RETURN your form to either of these addresses. Send completed form to the Government issuing Contract Officer for the contract/PR No listed in block E A. CONTRACT LINE ITEM NO. B EXHIBIT C. CATEGORY: D. SYSTEM/ITEM E. CONTRACT/PR No. F. CONTRACTOR Shelter, Nonexpandable, 10 Foot EMI/EMC 2 TITLE OF DATA ITEM L DATA ITEM NO 3. SUBTITLE Request for Deviation (RFD) Configuration Management C002 4 AUTHORITY (Data Acquisition Document No.) 5. REQUIRING OFFICE DI-CMAN-80640B SOW 3.9 MARCORLOGBASES 851 DIST STATEMENT REQUIRED DISTRIBUTION LT AS REQ See Blk 16 8. APP CODE DATE OF SUBSEQUENT 11 AS OF DATE a ADDRESSEE Α SUBMISSION Reg 16 REMARKS MCLBA 851-2 0 () Block 4 - Contractor format is au horized. Blocks 10 & 12 - RFDs shall be s ibmitted to obtain authorization to deliver nonconforming material which does not meet the prescribed configuration documentation. RFDs will be reviewed and dispolition determined within 30 calendar days upon receipt by the government. RFDs shall be transmitted via e-n ail to the following address: mbmatcomeonfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited.

Page 1 of 1 Page Oesigned using Perform Pro, WHS/D/or. Aug 9

J. DATE

15. TOTAI

17 PRICE GFOUR

18 ESTIMATED TOTAL PRICE